

Oak Brook Park District

Addendum # 1 Tennis Center Roof and Gutter Repair Project Bid

October 1, 2015

All addenda to bidders shall be incorporated into the bid documents. Each bidder submitting a bid must acknowledge receipt of any and every addendum received.

All bidders shall include a printed and signed copy of this addendum with their bid submittal.

Bid submittals shall include: Bidder's Certifications, Bid Security Bond, Bid Proposal Form, and this addendum signed by the bidder, to have their bid considered by the District.

The following items have been added to clarify the existing Specifications for the Tennis Center Roof and Gutter Repair Work.

- 1.) Base Bid Work shall include the complete seaming of all standing seams roof panels utilizing the "Single Lock Seam" for all areas.
- 2.) Alternate 1: Gutters and Downspouts: All gutters and downspouts shall match the existing Tennis Center roof color. Gutters installed shall be fabricated to replicate the existing gutters by utilizing the same aluminum gauge and matching the existing gutter profile. All existing and new gutters shall have all seams and end caps sealed and must be leak free guarantee for 1 year.
- 3.) Alternate 2: Limestone Coping Metal Cap: Contractor shall install a high quality ice and water shield membrane before installing the metal cap on limestone coping.
4. A warranty of all areas of repair shall be provided by the contractor, including, but not limited to, areas immediately adjacent to such areas of repair. Contractor shall document all areas of repair with specificity and photographs.

Attached are the prebid meeting attendance logs and contact information.

Bidder's signature below acknowledges the receipt of Addendum #1 October 1, 2015 for the Tennis Center Roof and Gutter Repair Project Bid.

Bidder's Signature: _____

Bidder's Name: _____

Company Name: _____

Date: _____

L. Marshall Inc.

Since 1913

ARCHITECTURAL SHEET METAL
ROOFING CONTRACTORS

INDUSTRIAL • COMMERCIAL • RESIDENTIAL
www.lmarshallroofing.com

FRED SHIMP Sales/Project Manager



3239 Loverock Ave, Steger, IL 60475

Office 708-755-3555
Cell 708-514-9474
Fax 708-755-2141

Jeff Graf
Project Manager
jeff@sealtightexteriorsinc.com



JON SHEA

J.J. Superior Metal, Inc.
4302 W. WARREN STREET
HILLSIDE, IL 60162

Office: (708) 544-3757
Fax: (708) 544-3761
Cell: (773) 457-6275

jon@jjsuperior.com
www.jjsuperior.com